

### KAVANGO EAST REGIONAL COUNCIL

# Directorate of Gender Equality, Poverty Eradication, and Social Welfare

### REQUEST FOR QUOTATIONS OF GOODS

PROCUREMENT OF: SUPPLY OF ELECTRONIC ACCESSORIES, DUSTBINS AND PADLOCKS.

Procurement Reference No: G/RFQ/KERC-DOGEPESW-027/08/2023/2024

Private Bag 2124, Rundu, Tel: 066 266012/32

Fax No: 066 255396

jkangumbe@kavangorc.gov.na



### Letter of Invitation

17/10/2023

Dear Sir or Madam,

## REQUEST FOR QUOTATIONS TO SUPPLY ELECTRONIC ACCESSORIES, DUSTBINS AND PADLOCKS.

The Kavango East Regional Council invites you to submit your best quote for the items described in detail hereunder.

Any resulting contract shall be subject to the terms and conditions referred to in the document. Queries, if any, should be addressed to Ms *Miyaze Walubita*, *Tel:* 066-267184/0811622598.

Please prepare and submit your quotation in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Yours faithfully,

Mr. J M Kangumbe

Head: Procurement Management Unit

19/10/2023

2

### SECTION I: INSTRUCTIONS TO BIDDERS

### 1. Rights of Public Entity

The Kavango East Regional Council reserves the right:

- (a) To split the contract as per the lowest evaluated cost per item, or
- (b) To accept or reject any quotation; and
- (c) To cancel the quotation process and reject all quotations at any time prior to contract award.

### 2. Preparation of Quotations

You are requested to quote for the items mentioned in Section III by completing, signing and returning:

- (a) The List of Goods and Price Schedule Section III;
- (b) The Specifications and Compliance Sheet in Section V; and
- (c) Any other attachment deemed appropriate.

You are advised to carefully read the complete Request for Sealed Quotations document, including the Special Conditions of Contract in Section VII, before preparing your quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

### 3. Validity of Quotations

90 days from the date of the bid submission deadline.

### 4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) Have a valid Company Registration Certificate/Founding Statement;
- (b) Have a valid original or certified copy of a good Standing Tax Certificate;
- (c) Have a valid or certified copy of a good Standing Social Security Certificate;
- (d) Submit a signed Bid Securing Declaration;
- (e) Certified Copy of the National Identify Document of the Company owner;
- (f) A Certified valid copy of Company SME Certificate should be attached;
- (g) Section 66 (2B) of the Public Procurement Amendment Act of 2022 will apply.

### 5. Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

### 6. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name and contact information at the back of the envelope.

### 7. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at Kavango East Regional Council not later than 01 November 2023, at 11h00. Quotations by post or hand delivered

should reach Kavango East Regional Council, Office number 11 by the same date and time at the latest. Late quotations will be rejected.

Quotations received by e-mail will not be considered.

### 8. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in instruction 7 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, and the presence or absence of a Bid Security/Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

### 9. Evaluation of Quotations

The Public Entity shall have the right to request clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of price or ownership cost, subject to Margin of Preference where applicable, to determine the lowest evaluated quotation.

### 10. Technical Compliance

Bidders shall submit along with their quotations documents, catalogues, and any other literature to substantiate compliance with the required specifications and to qualify deviations if any with respect to Public Entity's requirements.

The Specifications, Performance Requirements and Compliance Sheet details the minimum specifications of the goods/items to be supplied. The specifications have to be met but no credit will be given for exceeding the specifications.

### 11. Prices and Currency of Payment

Prices shall be fixed in Namibian Dollars.

### 12. Margin of Preference

This bid is reserved for SMEs.

### 13. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation and qualified to supply the goods/items and related services shall be selected for award of contract. Award of the contract shall be by the issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

### 14. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within seven (7) days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within seven (7) days of the unsuccessful bidders being informed of the award.

### **SECTION II: QUOTATION LETTER**

(To be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Price list and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. If your quotation is not authorised, it will be rejected.]

| Quotation addressed to: [name of Public Entity] |  |
|---|--|
| Procurement Reference Number:                   |  |
| Subject matter of Procurement:                  |  |

We offer to supply the items listed in the attached List of Goods and Price Schedule as per the defined specifications and, in accordance with the terms and conditions stated in your Request for Quotations referenced above.

We confirm that we are eligible to participate in this Quotation exercise and meet the eligibility criteria specified in Section 1: Instruction to Bidders.

We undertake to abide by ethical conduct during the procurement process and the execution of any resulting contract.

The validity period of the Quotation is 90 days from the date of the bid submission deadline.

We confirm that the prices quoted in the List of Goods and Price Schedule are fixed and firm and will not be subject to revision or variation if we are awarded the contract **prior to the expiry** date of the quotation validity.

The delivery period offered from the date of issue of the Purchaser Order/Letter of Acceptance is as shown in the List of Goods, items, and Price Schedule.

**Quotation Authorised by:** 

| Name of Bidder                            | Company's Addr | ess and seal |
|---|----------------|--------------|
| Contact Person                            |                |              |
| Name of Person Authorising the Quotation: | Position:      | Signature:   |
| Date                                      | Phone No./Fax  |              |

### Appendix to Quotation Letter

### BID SECURING DECLARATION

(Section 45 of Act)

(Regulation 37(1) (b) and 37(5))

|                     | Day month year   |
|---------------------|--|
| Procurer            | ment Ref No.:  |
| To: Kav             | ango East Regional Council   |
|                     | nderstand that in terms of section 45 of the Act a public entity must include in the bidding document rement for a declaration as an alternative form of bid security. |
| I/We* ac            | cept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of  |
|                     | n modification or withdrawal of a bid after the deadline for submission of bids during the period<br>of validity;  |
| (b) r               | refusal by a bidder to accept a correction of an error appearing on the face of a bid;   |
|                     | Cailure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or            |
|                     | Failure to provide security for the performance of the procurement contract if required to do so by the bidding document.  |
| I/We* un            | nderstand this bid securing declaration ceases to be valid if I am/we are* not the successful Bidder   |
|                     | ignature of the person whose name and capacity are shown]  |
|                     | of:e the legal capacity of the person(s) signing the Bid Securing Declaration]   |
|                     | the complete name of the person signing the Bid Securing Declaration]  |
| Duly aut            | horized to sign the bid for and on behalf of: [insert complete name of Bidder]   |
| Dated on [Insert of | date of signing]   |
| Corporat            | te Seal (where appropriate)  |
| venture t           | In case of a joint venture, the bid securing declaration must be in the name of all partners to the join that submits the bid.]  If not applicable/appropriate         |

# SECTION III: LIST OF GOODS AND PRICE SCHEDULE

# QUOTATION FOR: TO SUPPLY ELECTRONIC ACCESSORIES, DUSTBINS AND PADLOCKS PROCUREMENT REF NO. G/RFQ/KERC-DOGEPESW-027/08/2023/2024

| Depth of the Public Entity.  E = mark with a *ij  E |      | ATITIVE OF IRITIONS OF SHORE O |                  | KEMENT   | KEL         | 0. G/INI                     | INCOUREMENT REF NO. GARRONERO-BOGELES W-02/100/2020/2020 | NC TO RI    | DDFRS                 |              |
|--|------|--|------------------|----------|-------------|------------------------------|--|-------------|-----------------------|--------------|
| At time of preparation of the RFQ, Columns A to D shall be filled in by the Public Entity.  A B B C C D E E F F F F F F F F F F F F F F F F F  |      | INSTRUCTIONS TO THE PUBLIC ENTIT   | I                |          |             |                              | CHOONICKII   | TO OI CAL   | COLLING               |              |
| Part   | At   | time of preparation of the RFQ, Columns A to D shall be filled   | in by the Public | Entity.  |             | Bidder                       | s shall fill-in col                                      | umns E - I  | and fill the tota     |              |
| Pair   |      |  |                  |          | E= m        | ark with a                   | *if an equivalent  | is quoted   |                       |              |
| A   B   B   C   D   E  |      |  |                  |          | F=R         | ate per unit                 |  | i=Total pri | ce for one item (     | $C \times F$ |
| A   Biddes shall fill in and sign the bottom section of this particles shall fill in and sign the bottom section of this particles shall fill in and sign the bottom section of this particles shall be section of Goods   Biddes shall fill in and sign the bottom section of this particles are particles shall be section of Goods   Biddes shall fill in and sign the bottom section of this particles shall be sh   |      |  |                  |          | •           | f an equival                 | ent is quoted, ple                                       | ease attach | to your quote a       | propriate    |
| A   B   B   C   D   E   F   G   H   Delivative term  |      |  |                  |          | •<br>•<br>• | echnical inf<br>Sidders shal | ormation & spec<br>I fill in and sign                    | the bottom  | section of this       | age          |
| Price   Poscription of Goods   Price   Price   Price   Polivery  | V    | В  | O                | D        |             | Ŀ                            | ŋ  | Н           | -                     |              |
| Page      | Item | Description of Goods   | Quantity         | Unit of  | *           | Price                        | Total price  | VAT:        | Delivery              | Country      |
| QA17C 63A E/Leakage   2 Each   Each   LED tube 14.6W T8 4FT Yellow RD-RLJ,58   10 Each   Each   1.2930   Each      | no.  |  | required         | measures |             | per unit<br>NAD'             | without VAT<br>NAD                                       | NAD         | weeks)<br>(days/month | of<br>Origin |
| LED tube 14.6W T8 4FT Yellow RD-RLJ)58   |      | OA17C 63A E/Leakage  | 2                | Each     |             |                              |  |             |                       |              |
| National Daylite switch NS116 C/W Base 16A WAC-   1   Each   | 2.   | LED tube 14.6W T8 4FT Yellow RD-RLL)58   | 10               | Each     |             |                              |  |             |                       |              |
| TVS contractor 1NO 5.5KW AC3 240V 50Hz       1       Each         LED 9W E27 A60 865 6500K       2       Each         LED 7ube 9W T8 2FT 6500K RD - RLL005       1       Each         Padlocks (Standard Protection Yale)       10       Each         Locks (Cylinder lockset)       8       Each         Pad bolt galvinised 200mm       10       Each         Litre Wheelie bin (Dust bins), Ext. top 739 x 580, 1069mm(h)       3       Each         Max load: 100kg Wheels: 200mm       Nest height: 145 - 160mm       3       Each         Weight: 13kg Capacity: 240 L       Colour: black, orange or green       3       Each         Window cleaner stick with sponge       3       Each         Window cleaner stick with sponge       3       Each   | 3.   | National Daylite switch NS116 C/W Base 16A WAC-<br>J2930   | 1                | Each     |             |                              |  |             |                       |              |
| LED 9W E27 A60 865 6500K       2       Each         LED Tube 9W T8 2FT 6500K RD - RLL005       1       Each         Padlocks (Standard Protection Yale)       10       Each         Locks (Cylinder lockset)       8       Each         Pad bolt galvinised 200mm       10       Each         Litre Wheelie bin (Dust bins),       3       Each         Ext. top 739 x 580, 1069mm(h)       3       Each         Max load: 100kg       Wheels: 200mm       Nest height: 145 - 160mm         Weight: 13kg       Capacity: 240 L       Colour: black, orange or green       3       Each         Window cleaner stick with sponge       3       Each   | 4.   | TVS contractor 1NO 5.5KW AC3 240V 50Hz   | 1                | Each     |             |                              |  |             |                       |              |
| LED Tube 9W T8 2FT 6500K RD – RLL005       1       Each         Padlocks (Standard Protection Yale)       10       Each         Locks (Cylinder lockset)       8       Each         Pad bolt galvinised 200mm       10       Each         Litre Wheelie bin (Dust bins),       3       Each         Ext. top 739 x 580, 1069mm(h)       3       Each         Max load: 100kg       Wheels: 200mm       Nest height: 145 – 160mm         Weight: 13kg       Capacity: 240 L         Colour: black, orange or green       3       Each         Window cleaner stick with sponge       3       Each   | 5.   | LED 9W E27 A60 865 6500K   | 2                | Each     |             |                              |  |             |                       |              |
| Padlocks (Standard Protection Yale)   10   Each   10   | 9.   | LED Tube 9W T8 2FT 6500K RD - RLL005   | 1                | Each     |             |                              |  |             |                       |              |
| Locks (Cylinder lockset)  Pad bolt galvinised 200mm  Litre Wheelie bin (Dust bins), Ext. top 739 x 580, 1069mm(h) Max load: 100kg Wheels: 200mm Nest height: 145 – 160mm Weight: 13kg Capacity: 240 L Colour: black, orange or green Window cleaner stick with sponge  Window cleaner stick with sponge  Each  Sach  Bach  Bach  Capacity  Window cleaner stick with sponge  | 7.   | Padlocks (Standard Protection Yale)  | 10               | Each     | ,           |                              |  |             |                       |              |
| Pad bolt galvinised 200mm  Litre Wheelie bin (Dust bins), Ext. top 739 x 580, 1069mm(h)  Max load: 100kg Wheels: 200mm Nest height: 145 – 160mm Weight: 13kg Capacity: 240 L Colour: black, orange or green Colour: black, orange or green Window cleaner stick with sponge  Window cleaner stick with sponge  | 8.   | Locks (Cylinder lockset)   | 8                | Each     |             |                              |  |             |                       |              |
| Litre Wheelie bin (Dust bins),  Ext. top 739 x 580, 1069mm(h)  Max load: 100kg Wheels: 200mm  Nest height: 145 – 160mm  Weight: 13kg  Capacity: 240 L  Colour: black, orange or green  Window cleaner stick with sponge  Window cleaner stick with sponge  | 9.   | Pad bolt galvinised 200mm  | 10               | Each     |             |                              |  |             |                       |              |
| 3 Each   | .01  | Litre Wheelie bin (Dust bins), Ext. top 739 x 580, 1069mm(h) Max load: 100kg Wheels: 200mm Nest height: 145 – 160mm Weight: 13kg Capacity: 240 L Colour: black, orange or green  | င                | Each     |             |                              |  |             |                       |              |
| TOTAL  | Ξ    | Window cleaner stick with sponge   | 3                | Each     |             |                              |  |             |                       |              |
|  |      |  |                  |          |             | TOTAL                        |  |             |                       |              |
|  |      |  |                  |          |             |                              |  |             |                       |              |

| NAME:                 | POSITION: | SIGNATURE DATE | DATE |  |  |  |
|-----------------------|-----------|----------------|------|--|--|--|
| NAME<br>OF<br>BIDDER: | ADDRESS:  |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |
|                       |           |                |      |  |  |  |

1. If the Price quoted is subject to change in the rate of exchange at the time of delivery of goods, provide details hereunder:

Currency: ..... Exchange Rate: .....

If no base rate of exchange is given, the price shall be treated as firm in Namibian Dollars for all intent and purpose.

Keynotes: NA=NOT APPLICABLE, NQ=NO QUOTE

# SECTION IV: SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

[The Public Entity shall use this section to specify its Technical Requirements for the goods items, Inspection, and examination, and the scope of Related Services, as applicable.]

### SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

Procurement Reference Number: G/RFQ/KERC-DOGEPESW-027/08/2023/2024

| A*  | B*  | C | D |
|-----|---|---|---|
| 1.  | QA17C 63A E/Leakage   |   |   |
| 2.  | LED tube 14.6W T8 4FT Yellow RD-RLL)58  |   |   |
| 3.  | National Daylite switch NS116 C/W Base 16A<br>WAC- J2930  |   |   |
| 4.  | TVS contractor 1NO 5.5KW AC3 240V 50Hz  |   |   |
| 5.  | LED 9W E27 A60 865 6500K  |   |   |
| 6.  | LED Tube 9W T8 2FT 6500K RD - RLL005  |   |   |
| 7.  | Padlocks (Standard Protection Yale)   |   |   |
| 8.  | Locks (Cylinder lockset)  |   |   |
| 9.  | Pad bolt galvinised 200mm   |   |   |
| 10. | Litre Wheelie bin (Dust bins), Ext. top 739 x 580, 1069mm(h) Max load: 100kg Wheels: 200mm Nest height: 145 – 160mm Weight: 13kg Capacity: 240 L Colour: black, orange or green |   |   |
| 11. | Window cleaner stick with sponge  |   |   |

[Bidders should complete columns C and D with the specification of the goods offered. Also state "comply" or "not comply" and give details of any non-compliance/deviation to the specification required. Attach detailed technical literature if required. Authorise the specification offered in the signature block below.]

### Specifications and Compliance Sheet Authorised By:

| Name:                            | Signature: |  |
|----------------------------------|------------|--|
| Position:                        | Date:      |  |
| Authorised for and on behalf of: | Company    |  |

<sup>\*</sup> Columns A and B to be completed by Public Entity.

### SCHEDULE 3

### **QUOTATION CHECKLIST SCHEDULE**

Procurement Reference No: G/RFO/KERC-DOGEPESW-027/08/2023/2024

| Description                        | Attached | Not<br>Attached |
|------------------------------------|----------|-----------------|
| Quotation Letter                   |          |                 |
| List of Goods and Price Schedule   |          |                 |
| Specification and Compliance Sheet |          |                 |

**Disclaimer:** The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive.